#### An ISO 9001 - 2015 Certified Company





Version 2.0

- √ Highlighter Doors
- ✓ Chettinad Doors
- √ Teak Wood Doors
- ✓ Polish Doors
- √ Veneer Doors
- √ Laminated Doors
- √ Glass Doors
- √ Glass Art Doors
- √ Steel Beading Doors
- √ Embossed Doors
- ✓ Membrane Doors
- ✓ Premium Coated Doors
- √ Bathroom / Terrace Doors
- ✓ WPC Doors
- √ Flush Doors

#### Our Organisation:

√ TrueWood Doors is India's top quality premium door manufacturer, offering the widest range of designs to our valuable customers.

#### Our Quality:

- ✓ TrueWood Doors is an ISO 9001- 2015 certified company, assuring our customers with an unmatchable quality of our products.
- ✓ We are using high quality imported membrane, pvc foils, branded adhesives and other high standard raw materials to ensure the durability and life of our doors.
- ✓ The wood used in the doors are 100% Hardwood and closely framed to ensure the strength of the door.
- ✓ The woods are chemically treated (VPT) in the vacuum pressure chamber to avoid Borer and Termite attack.
- ✓ The Woods are 100% Kiln seasoned to reduced the moisture content to avoid warping and shrinkage.
- ✓ We are using Phenol Formaldehyde (PF) resin for high bonding of plywoods layers, which ensures the 100% water proof & high bonding strength.
- ✓ We have highly skilled carpenters and machinist to ensure our manufacturing process is topnotch. Thereby meeting stringent standards and quality of our products.

#### Our Facility:

- ✓ We have our own in-house Design facility with a team of skilled CAD/CAM engineers, CGI technicians and Traditional Artists who create innovative designer doors suited for Villas, Apartments, Office and Shrines.
- ✓ The doors are designed with consultation of renowned Architects, Interior Designers are Traditional Artists to provide suitable to Indian culture as well as International design choices to our esteemed customers.
- ✓ We have a state of art manufacturing facility with industry's latest technology CNC machines to create precision carving on the doors.



#### **PRODUCTS**

<b>√</b>	Highlighter Doors	• • • • •	1
<b>√</b>	Chettinad Doors	• • • • •	2
<b>√</b>	Teak Wood Doors	• • • • •	5
<b>√</b>	Polish Doors	• • • • •	7
<b>√</b>	Veneer Doors	• • • • •	9
<b>√</b>	Laminated Doors	• • • • •	11
<b>√</b>	Glass Doors Office	• • • • •	14
<b>√</b>	Glass Art Doors	• • • • •	15
<b>√</b>	Steel Beading Doors	• • • • •	16
<b>√</b>	Embossed Doors	• • • • •	18
<b>√</b>	Membrane Doors	• • • • •	21
<b>√</b>	Premium Coated Doors	• • • • •	28
<b>√</b>	Bathroom / Terrace Doors	• • • • •	36
<b>√</b>	Flush Doors		36











HS 2

HS 3

HS 4

HS 5

- Note: 1. The Highlighter Designs are based on the availability in the market.
  - 2. Customized designs are made based on the architects / builder's provided design.

# Chettinad Doors RADIANT







CR 2



CR 3





CR 5



CR 6



CR 7







CR 10

# Chettinad Doors TRADITION













CT 6









## Chettinad Doors TRENDY



### 7eak Wood Doors SAMUTHRIKA



















TS 5

TS 6

TS 7

TS 8

# 7eak Wood Doors PROSPEROUS











TP 4







TP 6

TP 7












PG 2


PG 3

PG 5



# Veneer Doors ELITE





9

## Veneer Doors NATURE



10

### Laminated Doors ELEGANT

#### **Specification:**

- ✓ Laminated Doors are hard wood and Water Proof flush doors which is laminated with "Designer laminated Sheets".
- √ No Painting / Varnishing / Polishing required and assuring zero maintenance.
- ✓ Using high quality branded "Designer Laminated Sheets" and branded adhesives for door laminations.
- √ "Designer Laminate Sheets" are pasted using high-pressure hydraulic press machine for stronger bonding and to avoid Air bubbles, waviness on the laminated door surface.
- √ Using 100% Kiln seasoned and Chemical treated wood.
- ✓ Using Phenol formaldehyde resin for higher bonding strength and 100% water proof.
- $\checkmark$  Doors are available in one side laminated or both sides laminated options.
- √ Laminated doors are available in ELEGANT, SUPREME and METAL Models.
- Door Thickness: 32mm. Customized thickness are made ondemand.
- ✓ Door Size: 81x33, 81x36, 81x39. Customized sizes are made on-demand.

















LE 5

LE 6

LE 7

LE 8

LE 9

LE 10

### Laminated Doors SUPREME



12

### Laminated Doors METAL



# Glass Doors OFFICE



14









GA-C











13



15





Notes:


10

Please place the order as e.g. GA-A1, (GA Stands for Glass Art Door, 'A to D' Stand For Carving Design Pattern and No.1 to 18 Stands for Glass Art Design)

14

This Glass Art Door is not having full cut opening for glass fixing area, back side is completely covered with wood, hence safety of the door has been ensured.

### Steel Beading Doors CARVING




# Steel Beading Doors SINGLE COLOUR



Note: Steel borders are engraved and placed with SS Coated / Matt Finish aluminium beadings for all STEEL Model Doors.

# Steel Beading Doors DOUBLE COLOUR



# Embosed Doors ROYAL












ER 3

ER 4

ER 5









ER 1

ER 6

ER 7

ER 8

ER 9

## Embosed Doors GRAND







EG 5









EG 1

EG 6

EG 7

# Embosed Doors HERITAGE



















EH 1

EH 6

EH 7

EH 8

EH 9

# Membrane Doors BOLD























MB 18

MB 20

MB 21

MB 25

## Membrane Doors BOLD







MB 28 Double Door



MB 30



MB 31



MB 32



MB 33



MB 34



MB 35



MB 36





MB 38




MB 39



MB 41






















Flower Skin available for all MB & MS Models
Colours : Andhra Teak & Walnut

MB 46

MB 47

MB 48

MB 49

# Membrane Doors SLEEK



# Membrane Doors SLEEK
























MS 19

MS 20

MS 22

MS 23

MS 24

# Membrane Doors SLEEK

























MS 31

MS 32

MS 34

MS 35

MS 36

### Membrane Doors DOUBLE COLOUR



27

- √ Premium Coated Doors are chemically laminated with digital printing film.
- ✓ Provided excellent colour retention, Heat and Moisture resistance.
- ✓ Available in Glossy and Textured finish
- ✓ No Painting or polishing required and assuring zero maintenance.
- ✓ Wood used in the doors are Hardwood, Kiln seasoned and Chemically treated to avoid shrinking, warping, borer and termite.
- √ We use solid wood filler for door construction to increase the strength of the door.





PC 1 Design your own door for your beloved one!

Provide your design files!, We make it for you!!



PC 6






PC 7







PC 9 PC 8





























PC 28 PC 29 PC 30 PC 31 PC 32 PC 33

31



**32**)



33


























PC 64

PC 65

PC 66

PC 67

PC 68

PC 69



35

### Bathroom & Terrace Doors WPC / GLOSSY COATED / FILM FACED



WPC 1 WPC Door



FF 1 Film Faced (Both Side)



WPC 2 WPC Door with Membrane Skin

GC 1

Glassy Coated (Both Side)



WPC Door Texture 1 with Premium Coated



WPC 4 WPC Door Texture 2 with Premium Coated



#### Note:

All Membrane Doors - BOLD Designs are available in WPC Doors as well

### Flush Doors

\* Flush Door Types:

**FD 1 :** Single Core + MR Grade + Kiln Seasoned + Hardwood

**FD 3 :** 3 Core + PF Grade (100% Water Proof)

**FD 2 :** 3 Core + MR Grade + Kiln Seasoned + Hardwood

+ Chemical Impregnated +

Kiln Seasoned + Hardwood



FD 1 / FD 2 / FD 3 Flush Door\*

#### Note:

Glassy Coated Doors: Should not cut the door at the time of installation if it's necessary to cut the door, then the carpenter should use new cutting blade. If the carpenter uses a hand chiseler, then the door coating may get damaged at the edge of the door. Manufacturer will not be responsible for any damages and the doors will not be taken back. (It is advised to provide proper size for the door at the time of order.)

#### Certificate of Registration

Phile Contribution only incorporately recor-



#### TRUEWOOD DOOR INDUSTRIES

The Million and part of March 1991 France Doctors 416 The Artist.



that the mississed and four its conform to the security of

#### ISO 9001:2015

#### For this following scape:

'enclaratives of 'Coors, wentrates & shuttest' from entirere does, white pared does, redamin does, some does, territoried does, prymain count does frameworker soon, my beating does, PM, does, first does, film count does, wild also & during his does in book of guittless and entirers at beliefug.



#### Cirifiate once 2/900

The least Nation is experienced App 2016 and 45 Aug 2016 and manipul contribution of the authorized App 2016 and 15 Aug 2016 in the App 2016 and 15 Aug 2016 in the App 2016 Aug 2016 Aug 2016 Aug 2016 Carchiatopologica



#### UNIVERSAL REGISTRARS

www.universalregistrars.com

This restricts control the property of the control of the power (A).

The control to request the property of the control of power is to share it involves the control of the control of the filter of the office of the control of the





#### **Door Handling and Storage Instructions:**

- ✓ Do not drag the doors over one another or across other surfaces.
- ✓ These doors are for interior use only.
- ✓ Doors must be horizontally stacked on flat surface.
- ✓ Store in a cool and dry place.
- ✓ Cover the stack with plastic sheet.
- Do not place or store any other material over the door.

#### **Door Fixing / Installation Instructions:**

- $\checkmark$  Fit the door after completing the wet area work and after cleaning the floor on site.
- Door frames should be properly aligned with each other.
- $\checkmark$  Avoid trimming of doors while fixing. If trimming is necessary, do not trim more than 1/2 inch per side. Be sure to reseal all trimmed sides.
- ✓ Lipping of teak or hardwood on all the four sides has to be done to prevent the moisture absorbtion, wear and tear of the door, thereby increasing the life of the door.
- ✓ To fix screws and hinges as per thickness and size of the door, consult an Architect / Carpenter / Hardware expert. Do not use nails and hammers.
- √ The door greater than 6 feet requires 4 Hinges for maximum holding capacity.
- $\checkmark$  Lock out: Cut the shutter equally from the bottom and top.
- ✓ Lock : Only Mortise / Cylindrical or Tubular type locks are advisable, as they provide more mechanical strength.
- √ Hinge or lock cutout should be coated with primer/paint.

### **OUR QUALITY**

#### **Key Differentiater**









HIGHEST QUALLY,

Hardwood



NTI - FUNGA











#### **Specifications**

Filler : Solid wood (100% Kiln seasoned & Chemically treated)

: Height: 72", 75", 78", 81", 84" Door Size\*

Width: 27", 30", 32", 33", 36", 39"

Door Thickness\* : Standard - 30 mm

\* Customised Sizes, Thickness, Door Designs are made available on-demand basis.

Door Foil Colour & Pattern \*\*



Wengai Brown

Walnut VH



Cherry

Golden Teak VH







Walnut Red Rose Wood



Beigh Vintage Cream

Choco Brown





Andhra Teak Flower

\*\* The actual door foil colour and patterns are more attractive than shown in the catalogue.

Andhra Teak VH

Manufacturer



www.truewooddoors.com

**Authorised Dealer** 





An ISO 9001: 2015 Organization

